

**ORDIZ
MELBY**
ARCHITECTS, INC.

5500 MING AVENUE SUITE 280
BAKERSFIELD, CALIFORNIA 93309
TELEPHONE (661) 832-5258
FACSIMILE (661) 832-4291

DANNY E. ORDIZ, AIA
ARCHITECT C-14,728
WILLIAM J. MELBY, AIA
ARCHITECT C-16,835
CONSULTANT



ELEVATOR ADDITION
FOR:
AJITPAL TIWANA, M.D.

2700 "F" STREET
BAKERSFIELD
CALIFORNIA
93301

**NOT FOR
CONSTRUCTION**

MARK	DATE	DESCRIPTION

JOB NUMBER:
2004759.02
CAD DRAWING FILE:

DRAWN BY:
JQF
CHECKED BY:
JQF

CHECK AND VERIFY ALL DIMENSIONS BEFORE
PROCEEDING WITH THE WORK.
REPORT DISCREPANCIES TO THE ARCHITECT.

THE DRAWINGS, IDEAS, AND DESIGNS
REPRESENTED ON THIS SHEET ARE THE
PROPERTY OF THE ARCHITECT.

COPYRIGHT
ORDIZMELBY ARCHITECTS, INC. 2002

SHEET TITLE







TYPICAL DETAILS

SHEET IDENTIFICATION NUMBER


S-102

SHEET OF 5

JQF # 207-053




8 OMIT




NOTES
1. WHERE DRAWINGS INDICATE C.J. (CONTROL JOINT), CONTRACTOR SHALL USE
"TOOLED / SAW CUT" OR "CONSTRUCTION JOINT".
2. SEE FOUNDATION PLAN FOR ADDITIONAL SLAB & SUBGRADE DETAILS.

CONCRETE SLAB JOINTS (NTS)

1. WHERE DRAWINGS INDICATE C.J. (CONTROL JOINT), CONTRACTOR SHALL USE
"TOOLED / SAW CUT" OR "CONSTRUCTION JOINT" AS SHOWN ABOVE @ 10'-0" O.C.
EACH WAY (MAXIMUM U.N.O.)



2 PIPES AT FOOTINGS (NTS)



NOTES
1. SEE "REINFORCING" SPECIFICATIONS FOR CONCRETE COVERAGE
AND SPlice LENGTH.
2. PROVIDE BOND BEAM CUT-OUTS IN FACE SHELLS OF MASONRY
@ HORIZONTAL REBAR.

3 REINFORCING (NTS)