



PLUMBING GAS/CONDENSATE PLAN

SCALE: 1/8" = 1'-0"







PLUMBING S&W PLAN

SCALE: 1/8" = 1'-0"



PLUMBING DCW PLAN


SCALE: 1/8" = 1'-0"

PLUMBING FIXTURE SCHEDULE	
MARK	DESCRIPTION
 1	FLOOR MOUNTED A.D.A. WATER CLOSET, "PRO FLO" PF 1600, 17" RIM HEIGHT "BEMIS" #1955C OPEN FRONT WHITE SEAT, BOLT CAPS, (1.0 GALLON/FLUSH) 1/2"C.W., 3"S&W, 2"V
 1	WALL HUNG A.D.A. LAVATORY, "PRO FLO" #PF5504 (20"x18 3/4") "CHICAGO FAUCETS #3300" SELF CLOSING 1/2"H.W./C.W., 2"W., 1 1/2"V.O., 2"W.C.O.
 1	FLOOR MOUNTED MOP SINK, "FLOORSTONE" MODEL #FMSR2424-2 "CHICAGO FAUCET" #897-CP FAUCET W/ VACUUM BREAKER AND TOP BRACE. 1/2" H.W./C.H., 2"W., 1 1/2"V.
 1	PROVIDED BY OWNER, 1/2"D.H.W. & D.C.W.

GENERAL PLUMBING NOTES	
1. DRAINAGE, WASTE, AND VENT PIPING TO BE PVC-DWV.	
2. HOT AND COLD WATER PIPING TO BE TYPE "M" COPPER.	
3. CONDENSATE DRAIN PIPING TO BE TYPE "M" COPPER.	
4. SECONDARY DRAIN PIPING TO BE TYPE "M" COPPER.	
5. GAS PIPING TO BE SCHEDULE 40 BLACK STEEL W/MALLEABLE FITTINGS.	
6. SELF CLOSING/ METERING VALVES ON ALL LAVS EXCEPT FOR PRIVATE OFFICES.	
7. PROVIDE CLEAN OUTS EVERY 100 FEET.	
8. STAINLESS STEEL REDUCED PRESSURE; BACKFLOW PREVENTER SHALL BE USED IN THE POTABLE WATER SUPPLY TO CARBONATORS.	
9. NO WATER LINES TO BE RUN UNDER CONCRETE BUILDING SLAB.	
10. EXISTING ROOF DRAINS ON SHELL BUILDING.	

P.E.
INCORPORATED
PASQUINI
ENGINEERING

908 H Street Suite 300
Bakersfield, Ca. 93304
Telephone: (661)-328-9600
Fax: (661)-328-9030

NO.	DATE
 1	04/14/2010

SHAILESH PATEL
TENANT IMPROVEMENT
301 CENTRAL AVE.
SHAFTER, CA.

THESE PLANS ARE NOT FOR CONSTRUCTION UNLESS A "WET STAMP & SIGNATURE" FROM BOTH THE ENGINEER OF RECORD AND A APPROVAL STAMP WITH A "WET STAMP & SIGNATURE" FROM THE LOCAL GOVERNING AGENCY ARE PRESENT.

DWG. BY	F.M.
CHK'D BY	
DATE	05/21/2010
JOB NO.	6148
FILE NO.	6148

EXP. 12/31/10